

US008667415B2

(12) **United States Patent**
Rudolph et al.

(10) **Patent No.:** **US 8,667,415 B2**
(45) **Date of Patent:** **Mar. 4, 2014**

- (54) **WEB WIDGETS**
- (75) Inventors: **Chris Rudolph**, Camas, WA (US); **Mac Murrett**, Portland, OR (US); **Kurt Revis**, Portland, OR (US)
- (73) Assignee: **Apple Inc.**, Cupertino, CA (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1001 days.
- (21) Appl. No.: **11/834,578**
- (22) Filed: **Aug. 6, 2007**

5,490,246 A	2/1996	Brotsky et al.
5,522,022 A	5/1996	Rao et al.
5,537,630 A	7/1996	Berry et al.
5,564,002 A	10/1996	Brown
5,564,022 A	10/1996	Debnath et al.
5,588,098 A	12/1996	Chen et al.
5,602,997 A	2/1997	Carpenter et al.
5,638,501 A	6/1997	Gough et al.
5,644,737 A	7/1997	Tuniman et al.
5,644,739 A	7/1997	Moursund
5,651,107 A	7/1997	Frank et al.
5,657,049 A	8/1997	Ludolph et al.
5,659,693 A	8/1997	Hansen et al.
5,659,694 A	8/1997	Bibayan
5,666,416 A	9/1997	Micali
5,671,343 A	9/1997	Kondo et al.

(Continued)

(65) **Prior Publication Data**

US 2009/0044138 A1 Feb. 12, 2009

- (51) **Int. Cl.**
G06F 3/048 (2013.01)
G06F 3/00 (2006.01)

- (52) **U.S. Cl.**
USPC **715/774**; 715/761; 715/762; 715/765;
715/766

- (58) **Field of Classification Search**
USPC 715/765, 766, 207, 750, 764, 761, 762
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,752,893 A	6/1988	Gutttag et al.
5,168,441 A	12/1992	Onarheim et al.
5,289,574 A	2/1994	Sawyer
5,297,250 A	3/1994	Leroy et al.
5,351,995 A	10/1994	Booker
5,357,603 A	10/1994	Parker
5,388,201 A	2/1995	Hourvitz et al.
5,416,890 A	5/1995	Beretta
5,481,665 A	1/1996	Okada et al.

FOREIGN PATENT DOCUMENTS

DE	102 42 378	3/2004
EP	548586	6/1993

(Continued)

OTHER PUBLICATIONS

“Sidekick”, [Online] [Retrieved on Oct. 12, 2009] Retrieved from the Internet at URL: <http://en.wikipedia.org/wiki/Sidekick>; 5 pages.

(Continued)

Primary Examiner — Nicholas Augustine


Assistant Examiner — Meseker Takele

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57) **ABSTRACT**

A media authoring tool includes web widgets for creating page elements for various types of media (e.g., websites, blogs, broadcasts, slide shows, multimedia presentations). A widget inspector associated with the widget can be used to modify the behavior of the widget.

31 Claims, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,689,664 A	11/1997	Narayanan et al.	6,411,274 B2 *	6/2002	Watanabe et al. 345/684
5,708,764 A	1/1998	Borrel et al.	6,411,301 B1	6/2002	Parikh et al.
5,710,884 A	1/1998	Dedrick	6,412,021 B1	6/2002	Nguyen et al.
5,721,848 A	2/1998	Joseph	6,421,058 B2	7/2002	Parikh et al.
5,727,135 A	3/1998	Webb et al.	6,424,348 B2	7/2002	Parikh
5,731,819 A	3/1998	Gagne et al.	6,434,744 B1	8/2002	Chamberlain et al.
5,742,285 A	4/1998	Ueda	6,452,600 B1	9/2002	Parikh et al.
5,754,174 A	5/1998	Carpenter et al.	6,456,290 B2	9/2002	Parikh et al.
5,760,773 A	6/1998	Berman et al.	6,457,034 B1	9/2002	Morein
5,764,229 A	6/1998	Bennett	6,466,218 B2	10/2002	Parikh et al.
5,764,238 A	6/1998	Lum et al.	6,466,237 B1	10/2002	Miyao et al.
5,790,120 A	8/1998	Lozares et al.	6,469,714 B2	10/2002	Buxton et al.
5,793,376 A	8/1998	Tanaka et al.	6,483,524 B1	11/2002	Petchenkine et al.
5,796,402 A	8/1998	Ellison-Taylor	6,484,261 B1	11/2002	Wiegel
5,801,703 A	9/1998	Bowden et al.	6,487,560 B1	11/2002	LaRue et al.
5,809,230 A	9/1998	Pereira	6,489,963 B2	12/2002	Parikh et al.
5,835,692 A	11/1998	Cragun et al.	6,493,733 B1 *	12/2002	Pollack et al. 715/207
5,835,693 A	11/1998	Lynch et al.	6,512,522 B1	1/2003	Miller et al.
5,838,316 A	11/1998	Arruza	6,515,682 B1	2/2003	Washington et al.
5,838,906 A *	11/1998	Doyle et al. 715/205	6,525,736 B1	2/2003	Erikawa et al.
5,870,734 A	2/1999	Kao	6,526,174 B1	2/2003	Graffagnino
5,877,741 A	3/1999	Chee et al.	6,535,892 B1	3/2003	LaRue et al.
5,877,762 A	3/1999	Young et al.	6,536,041 B1	3/2003	Knudson et al.
5,878,219 A	3/1999	Vance et al.	6,542,160 B1	4/2003	Abgrall
5,883,639 A	3/1999	Walton et al.	6,542,166 B1	4/2003	Washington et al.
5,900,876 A	5/1999	Yagita et al.	6,544,295 B1	4/2003	Bodnar
5,903,896 A	5/1999	Waldman et al.	6,571,328 B2	5/2003	Liao et al.
5,917,436 A	6/1999	Endo et al.	6,573,896 B1	6/2003	Ribadeau et al.
5,920,659 A	7/1999	Iverson et al.	6,577,317 B1	6/2003	Duluk, Jr. et al.
5,929,852 A	7/1999	Fisher et al.	6,580,430 B1	6/2003	Hollis et al.
5,933,148 A	8/1999	Oka et al.	6,590,592 B1	7/2003	Nason et al.
5,949,409 A	9/1999	Tanaka et al.	6,609,977 B1	8/2003	Shimizu et al.
5,963,191 A	10/1999	Jaaskelainen, Jr.	6,614,444 B1	9/2003	Duluk, Jr. et al.
5,978,579 A	11/1999	Buxton et al.	6,618,048 B1	9/2003	Leather
5,999,948 A	12/1999	Nelson et al.	6,636,214 B1	10/2003	Leather et al.
6,005,568 A	12/1999	Simonoff et al.	6,639,595 B1	10/2003	Drebin et al.
6,006,231 A	12/1999	Popa	6,661,426 B1	12/2003	Jetha et al.
6,011,562 A	1/2000	Gagne et al.	6,664,958 B1	12/2003	Leather et al.
6,031,937 A	2/2000	Graffagnino	6,664,962 B1	12/2003	Komsthoef et al.
6,045,446 A	4/2000	Ohshima	6,664,986 B1	12/2003	Kopelman et al.
6,061,695 A	5/2000	Slivka et al.	6,674,438 B1	1/2004	Yamamoto et al.
6,075,543 A	6/2000	Akeley	6,697,074 B2	2/2004	Parikh et al.
6,128,010 A	10/2000	Baxter et al.	6,707,462 B1	3/2004	Peercy et al.
6,133,915 A	10/2000	Arcuri et al.	6,714,201 B1	3/2004	Grinstein et al.
6,144,381 A	11/2000	Lection et al.	6,714,221 B1	3/2004	Christie et al.
6,154,601 A	11/2000	Yaegashi et al.	6,715,053 B1	3/2004	Grigor
6,166,748 A	12/2000	Van Hook et al.	6,717,599 B1	4/2004	Olano
6,167,533 A	12/2000	Potterveld et al.	6,724,403 B1	4/2004	Santoro et al.
6,188,399 B1	2/2001	Voas et al.	6,734,864 B2	5/2004	Abgrall
6,191,797 B1	2/2001	Politis	6,738,804 B1	5/2004	Lo
6,195,664 B1	2/2001	Tolfa	6,741,242 B1	5/2004	Itoh et al.
6,211,890 B1	4/2001	Ohba	6,742,042 B1	5/2004	Holden et al.
6,246,418 B1	6/2001	Oka	6,757,691 B1	6/2004	Welsh et al.
6,259,432 B1	7/2001	Yamada et al.	6,757,698 B2	6/2004	McBride et al.
6,266,053 B1	7/2001	French et al.	6,760,046 B2	7/2004	I'Anson et al.
6,266,430 B1	7/2001	Rhoads	6,765,592 B1	7/2004	Pletcher et al.
6,272,484 B1	8/2001	Martin et al.	6,788,318 B2	9/2004	Chen
6,272,558 B1	8/2001	Hui et al.	6,792,616 B1	9/2004	Jerding et al.
6,275,831 B1	8/2001	Bodnar et al.	6,806,892 B1	10/2004	Plow et al.
6,278,448 B1	8/2001	Brown et al.	6,882,979 B1	4/2005	Reay et al.
6,278,450 B1	8/2001	Arcuri et al.	6,892,360 B1	5/2005	Pabla et al.
6,300,947 B1	10/2001	Kanevsky	6,906,720 B2	6/2005	Emberling et al.
6,304,684 B1	10/2001	Niczyporuk et al.	6,910,000 B1	6/2005	Yedia et al.
6,307,574 B1	10/2001	Ashe et al.	6,911,984 B2	6/2005	Sabella et al.
6,310,621 B1	10/2001	Gagne et al.	6,918,091 B2	7/2005	Leavitt et al.
6,311,232 B1	10/2001	Cagle et al.	6,931,633 B1	8/2005	Vazquez et al.
6,313,851 B1	11/2001	Matthews, III et al.	6,944,829 B2	9/2005	Dando
6,321,314 B1	11/2001	Van Dyke	6,993,721 B2	1/2006	Rosin et al.
6,333,753 B1	12/2001	Hinckley	7,007,242 B2	2/2006	Suomela et al.
6,344,855 B1	2/2002	Fisher et al.	7,016,011 B2	3/2006	De Haan
6,353,437 B1	3/2002	Gagne	7,024,381 B1	4/2006	Hastings et al.
6,369,823 B2	4/2002	Ohba	7,027,055 B2	4/2006	Anderson et al.
6,369,830 B1	4/2002	Brunner et al.	7,028,264 B2	4/2006	Santoro et al.
6,396,520 B1	5/2002	Ording	7,036,083 B1	4/2006	Zenith
6,401,104 B1	6/2002	LeRue et al.	7,050,955 B1	5/2006	Carmel et al.
			7,076,730 B1	7/2006	Baker
			7,085,994 B2	8/2006	Gvily
			7,107,546 B2	9/2006	Coulthard
			7,127,473 B2	10/2006	Agassi et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,127,713	B2	10/2006	Davis et al.	2003/0080995	A1	5/2003	Tenenbaum et al.
7,146,563	B2	12/2006	Hesmer et al.	2003/0097659	A1	5/2003	Goldman
7,174,512	B2	2/2007	Martin et al.	2003/0101046	A1	5/2003	Krasnov
7,185,290	B2	2/2007	Cadiz et al.	2003/0122787	A1	7/2003	Zimmerman et al.
7,191,399	B2	3/2007	Ohtani et al.	2003/0123739	A1	7/2003	Graffagnino
7,222,155	B1	5/2007	Gebhardt et al.	2003/0146934	A1	8/2003	Bailey et al.
7,242,406	B2	7/2007	Robotham et al.	2003/0154239	A1	8/2003	Davis et al.
7,249,327	B2	7/2007	Nelson et al.	2003/0158975	A1	8/2003	Frank et al.
7,260,380	B2	8/2007	Dietl et al.	2003/0164862	A1	9/2003	Cadiz et al.
7,269,792	B2	9/2007	Consolatti et al.	2003/0169306	A1	9/2003	Makipaa et al.
7,281,202	B2	10/2007	Croney et al.	2003/0174136	A1	9/2003	Emberling et al.
7,293,034	B2	11/2007	Paya et al.	2003/0174154	A1	9/2003	Yukie et al.
7,315,848	B2	1/2008	Pearse et al.	2003/0184552	A1	10/2003	Chadha
7,328,435	B2	2/2008	Trifon	2003/0184584	A1	10/2003	Vachuska et al.
7,426,687	B1 *	9/2008	Schultz et al. 715/208	2003/0189597	A1	10/2003	Anderson et al.
7,478,326	B2 *	1/2009	Holecsek et al. 715/716	2003/0191799	A1	10/2003	Araujo et al.
7,490,295	B2	2/2009	Chaudhri et al.	2003/0206195	A1	11/2003	Matsa et al.
7,503,010	B2	3/2009	Chaudhri et al.	2003/0208685	A1	11/2003	Abdel-Rahman
7,530,026	B2	5/2009	Chaudhri et al.	2004/0003402	A1	1/2004	McKenna, Jr.
7,546,543	B2	6/2009	Louch et al.	2004/0012626	A1	1/2004	Brookins
7,552,397	B2 *	6/2009	Holecsek et al. 715/788	2004/0032409	A1	2/2004	Girard
7,657,837	B2 *	2/2010	Shappir et al. 715/751	2004/0036711	A1	2/2004	Anderson
7,698,148	B2 *	4/2010	Lavu et al. 705/1.1	2004/0039934	A1	2/2004	Land et al.
7,698,658	B2 *	4/2010	Ohwa et al. 715/835	2004/0070629	A1	4/2004	Seifert
7,730,082	B2	6/2010	Sah et al.	2004/0078814	A1	4/2004	Allen
7,761,800	B2	7/2010	Chaudhri et al.	2004/0090969	A1	5/2004	Jerrard-Dunne et al.
7,765,493	B2	7/2010	Chickles et al.	2004/0117831	A1	6/2004	Ellis et al.
7,793,222	B2	9/2010	Chaudhri et al.	2004/0119754	A1	6/2004	Bangalore et al.
7,793,227	B2	9/2010	Wada et al.	2004/0125128	A1	7/2004	Chang et al.
7,793,232	B2	9/2010	Chaudhri et al.	2004/0179019	A1	9/2004	Sabella et al.
7,802,246	B1	9/2010	Kennedy et al.	2004/0183800	A1	9/2004	Peterson
7,873,908	B1	1/2011	Varanasi et al.	2004/0194020	A1	9/2004	Beda et al.
7,873,910	B2	1/2011	Chaudhri et al.	2004/0205504	A1	10/2004	Phillips
7,945,855	B2 *	5/2011	Altman et al. 715/244	2004/0212640	A1	10/2004	Mann et al.
2001/0030647	A1	10/2001	Sowizral et al.	2004/0215740	A1	10/2004	Frank et al.
2001/0035885	A1	11/2001	Iron et al.	2004/0223003	A1	11/2004	Heirich et al.
2002/0013822	A1	1/2002	West	2004/0225955	A1	11/2004	Ly
2002/0049788	A1 *	4/2002	Lipkin et al. 707/513	2004/0230911	A1	11/2004	Bent et al.
2002/0054148	A1	5/2002	Okada	2004/0237082	A1	11/2004	Alcazar et al.
2002/0059594	A1	5/2002	Rasmussen et al.	2004/0255253	A1	12/2004	Marcjan
2002/0065946	A1	5/2002	Narayan	2004/0261012	A1	12/2004	Balsiger
2002/0067418	A1	6/2002	I	2004/0261037	A1	12/2004	Ording et al.
2002/0078453	A1	6/2002	Kuo	2004/0261038	A1	12/2004	Ording et al.
2002/0085037	A1	7/2002	Leavitt et al.	2005/0010419	A1	1/2005	Pourhamid
2002/0089526	A1	7/2002	Buxton et al.	2005/0010634	A1	1/2005	Henderson et al.
2002/0093516	A1	7/2002	Brunner et al.	2005/0021935	A1	1/2005	Schillings et al.
2002/0099678	A1	7/2002	Albright et al.	2005/0022139	A1	1/2005	Gettman et al.
2002/0105548	A1	8/2002	Hayton et al.	2005/0039144	A1	2/2005	Wada et al.
2002/0112180	A1	8/2002	Land et al.	2005/0057497	A1	3/2005	Kawahara
2002/0114466	A1	8/2002	Tanaka et al.	2005/0060655	A1	3/2005	Gray et al.
2002/0118217	A1	8/2002	Fujiki	2005/0060661	A1	3/2005	Kawahara et al.
2002/0120673	A1	8/2002	Tolson et al.	2005/0088447	A1	4/2005	Hanggie et al.
2002/0123739	A1	9/2002	Haacke et al.	2005/0088452	A1	4/2005	Hanggie et al.
2002/0129092	A1	9/2002	Tolson et al.	2005/0091571	A1	4/2005	Leichtling
2002/0133508	A1	9/2002	LaRue et al.	2005/0091690	A1	4/2005	Delpuch et al.
2002/0140740	A1	10/2002	Chen	2005/0144563	A1	6/2005	Hough et al.
2002/0158902	A1	10/2002	Hooker et al.	2005/0144595	A1	6/2005	McLean
2002/0171682	A1	11/2002	Frank et al.	2005/0149458	A1	7/2005	Eglen et al.
2002/0174003	A1	11/2002	Redmann et al.	2005/0160368	A1	7/2005	Liu et al.
2002/0174055	A1	11/2002	Dick et al.	2005/0168471	A1	8/2005	Paquette
2002/0174181	A1	11/2002	Wei	2005/0168476	A1	8/2005	Levene et al.
2002/0180798	A1	12/2002	Poor et al.	2005/0172239	A1	8/2005	Liu et al.
2002/0186257	A1	12/2002	Cadiz et al.	2005/0183026	A1	8/2005	Amano et al.
2002/0196268	A1	12/2002	Wolff et al.	2005/0193368	A1	9/2005	Becker et al.
2003/0008661	A1	1/2003	Joyce et al.	2005/0198584	A1	9/2005	Matthews et al.
2003/0008711	A1	1/2003	Corbo	2005/0215310	A1	9/2005	Boyd et al.
2003/0009267	A1	1/2003	Dunsky et al.	2005/0221808	A1	10/2005	Karlsson et al.
2003/0018971	A1	1/2003	McKenna, Jr.	2005/0240857	A1	10/2005	Benedict et al.
2003/0020671	A1	1/2003	Santoro et al.	2005/0243373	A1	11/2005	Silverbrook et al.
2003/0032409	A1	2/2003	Hutcheson et al.	2005/0256940	A1	11/2005	Henderson et al.
2003/0046316	A1	3/2003	Gergic et al.	2005/0278651	A1	12/2005	Coe et al.
2003/0061482	A1	3/2003	Emmerichs	2005/0282612	A1	12/2005	Mathews
2003/0067489	A1	4/2003	Candy Wong et al.	2005/0283734	A1	12/2005	Santoro et al.
2003/0069904	A1	4/2003	Hsu et al.	2006/0001652	A1	1/2006	Chiu et al.
2003/0076369	A1	4/2003	Resner et al.	2006/0004913	A1	1/2006	Chong
				2006/0005207	A1	1/2006	Louch
				2006/0010394	A1	1/2006	Chaudhri et al.
				2006/0015818	A1	1/2006	Chaudhri et al.
				2006/0015846	A1	1/2006	Fraleigh et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0031264 A1 2/2006 Bosworth et al.
 2006/0036703 A1 2/2006 Fulmer et al.
 2006/0036941 A1 2/2006 Neil
 2006/0036969 A1 2/2006 Guido et al.
 2006/0053384 A1 3/2006 La Fetra et al.
 2006/0064422 A1 3/2006 Arthurs et al.
 2006/0075033 A1 4/2006 Bienstock et al.
 2006/0075106 A1 4/2006 Hochmuth et al.
 2006/0075141 A1 4/2006 Boxenhorn
 2006/0089840 A1 4/2006 May
 2006/0095331 A1 5/2006 O'Malley et al.
 2006/0107231 A1 5/2006 Matthews et al.
 2006/0112123 A1 5/2006 Clark et al.
 2006/0123356 A1 6/2006 Sobeski et al.
 2006/0123359 A1 6/2006 Schatzberger et al.
 2006/0136843 A1 6/2006 Shafron
 2006/0150118 A1 7/2006 Chaudhri et al.
 2006/0156248 A1 7/2006 Chaudhri et al.
 2006/0168536 A1 7/2006 Portmann
 2006/0168538 A1 7/2006 Stevens et al.
 2006/0174202 A1 8/2006 Bonner
 2006/0197752 A1 9/2006 Hurst et al.
 2006/0206835 A1 9/2006 Chaudhri et al.
 2006/0218499 A1 9/2006 Matthews et al.
 2006/0230059 A1 10/2006 Etgen et al.
 2006/0230272 A1 10/2006 Lawrence et al.
 2006/0236257 A1 10/2006 Othmer et al.
 2006/0253794 A1 11/2006 Wilson
 2006/0271637 A1 11/2006 McKeon et al.
 2006/0274086 A1 12/2006 Forstall et al.
 2006/0277469 A1 12/2006 Chaudhri et al.
 2006/0277481 A1 12/2006 Forstall et al.
 2007/0011026 A1 1/2007 Higgins et al.
 2007/0038934 A1 2/2007 Fellman
 2007/0044029 A1 2/2007 Fisher et al.
 2007/0044039 A1 2/2007 Amadio et al.
 2007/0061724 A1 3/2007 Slothouber et al.
 2007/0074126 A1 3/2007 Fisher et al.
 2007/0101146 A1 5/2007 Louch et al.
 2007/0101279 A1 5/2007 Chaudhri et al.
 2007/0101288 A1 5/2007 Forstall et al.
 2007/0101291 A1* 5/2007 Forstall et al. 715/805
 2007/0101297 A1 5/2007 Forstall et al.
 2007/0101433 A1 5/2007 Forstall et al.
 2007/0112739 A1 5/2007 Burns et al.
 2007/0118813 A1 5/2007 Forstall et al.
 2007/0129888 A1 6/2007 Rosenberg
 2007/0130523 A1 6/2007 Ku et al.
 2007/0130541 A1 6/2007 Louch et al.
 2007/0157119 A1 7/2007 Bishop
 2007/0162850 A1 7/2007 Adler et al.
 2007/0198946 A1 8/2007 Viji et al.
 2007/0203984 A2 8/2007 AlHusseini et al.
 2007/0209013 A1 9/2007 Ramsey et al.
 2007/0233736 A1 10/2007 Xiong et al.
 2007/0266093 A1 11/2007 Forstall et al.
 2007/0273558 A1* 11/2007 Smith et al. 340/995.1
 2007/0300185 A1 12/2007 Macbeth et al.
 2007/0300225 A1 12/2007 Macbeth et al.
 2008/0016468 A1 1/2008 Chambers et al.
 2008/0034309 A1* 2/2008 Louch et al. 715/766
 2008/0034314 A1 2/2008 Louch et al.
 2008/0040681 A1* 2/2008 Synstelien et al. 715/765
 2008/0052348 A1 2/2008 Adler et al.
 2008/0097906 A1 4/2008 Williams et al.
 2008/0120658 A1* 5/2008 Cubillo 725/91
 2008/0155453 A1 6/2008 Othmer
 2008/0168367 A1 7/2008 Chaudhri et al.
 2008/0168368 A1 7/2008 Louch et al.
 2008/0168382 A1 7/2008 Louch et al.
 2008/0235602 A1 9/2008 Strauss et al.
 2009/0005071 A1 1/2009 Forstall et al.
 2009/0021486 A1 1/2009 Chaudhri et al.
 2009/0024943 A1 1/2009 Adler et al.
 2009/0024944 A1 1/2009 Louch et al.

2009/0125815 A1 5/2009 Chaudhri et al.
 2009/0144644 A1 6/2009 Chaudhri et al.
 2009/0158193 A1 6/2009 Chaudhri et al.
 2009/0187841 A1 7/2009 Chaudhri et al.
 2009/0228824 A1 9/2009 Forstall et al.
 2009/0260022 A1 10/2009 Louch et al.
 2009/0271724 A1 10/2009 Chaudhri et al.
 2010/0138295 A1 6/2010 Caron et al.

FOREIGN PATENT DOCUMENTS

EP 0694879 1/1996
 EP 1 237 076 9/2002
 EP 1383080 1/2004
 EP 0972273 3/2004
 EP 1 724 996 11/2006
 WO WO 96/06401 2/1996
 WO WO 97/07467 2/1997
 WO WO 98/07112 2/1998
 WO WO 98/45815 10/1998
 WO WO 02/09039 1/2002
 WO WO 03/023593 3/2003
 WO WO 2004/027707 4/2004
 WO WO 2004/076977 9/2004
 WO WO 2006/012343 2/2006
 WO WO 2006/020304 2/2006
 WO WO 2006/119269 11/2006
 WO WO 2009/012319 12/2009
 WO WO 2009/012330 12/2009

OTHER PUBLICATIONS

International Search Report and Written Opinion, dated Oct. 16, 2009, in International Application No. PCT/US2008/070217.
 Caceres et al., "Widget 1.0 Requirements", [Online] [Downloaded on Sep. 10, 2009]; Retrieved from the Internet at URL: <http://www.w3.org/TR/2007/WD-widgets-reqs-20070705>; 30 pages.
 Beier, et al., "The bull's-eye: a framework for web application user interface design guidelines", Proceedings of the Sigchi Conference on Human Factors in Computing Systems, Apr. 2003, pp. 489-496.
 Carey, et al., "Integrating Widget Design Knowledge with User Interface Toolkits", Proceedings of the Fifth International Workshop on Computer-Aided Software Engineering, Jul. 1992, pp. 204-212.
 Louch et al., "Multidimensional Widgets", U.S. Appl. No. 12/612,301, filed Nov. 4, 2009.
 Warren, "The VMware Workstation 5 Handbook", Jun. 2005, Course Technology PTR, 50 pages.
 Bauer, "Transparent User Modeling for a Mobile Personal Assistant," LWA 2004: Lemen-Wissensentdeckung-Adaptivitat, [Online] Oct. 6, 2004, pp. 3-8, Berlin Retrieved from the Internet: URL:<http://www.dfki.de/specter/Docs/Bauer04.pdf> [retrieved on Sep. 15, 2009].
 Widget Test Ground, Dec. 1, 2005, 5 pages.
 tellWidget, Sep. 5, 2005, 3 pages.
 Widget Creation Tutorial, Oct. 30, 2005, 25 pages.
 Bauer and Deru, "Motion-Based Adaptation of Information Services for Mobile Users," Lecture Notes in Computer Science, Aug. 19, 2005, Retrieved from the Internet, URL: <http://www.springerlink.com/content/lwdvwx9ervxa44f9/fulltext.pdf>, [retrieved on Sep. 15, 2009], 6 pages.
 Lieberman and Selker, "Agents for the User Interface," Handbook of Agent Technology, 2003, pp. 1-20, Retrieved from the Internet, URL: http://web.media.mit.edu/~lieber/Publications/Agents_for_UI.pdf [retrieved on Sep. 15, 2009].
 Javaboutique. Oct. 8, 2008. Available at: <http://web.archive.org/web/20021208051951/http://javaboutique.internet.com/utilities/counter.html> (may be duplicate of earlier javaboutique reference).
 eHow, VMWare, http://www.ehow.com/how_6368_minimize-window.html, "How to Minimize a Window," Jun. 2004.
 Grundy, "An environment for developing adaptive, multi-device user interfaces," AUIC '03 Proceedings of the Fourth Australasian User Interface Conference on User Interfaces, 2003, vol. 18, Australian Computer Society, Inc., Darlinghurst, Australia.
 "About Merkitys"; [online] [Retrieved on Feb. 4, 2008]; Retrieved from the Internet, URL: <http://meaning.3xi.org/>; 3 pages.

(56)

References Cited

OTHER PUBLICATIONS

- “Advanced Digital Photo Solutions”; GeoSpatial Experts; [online] [Retrieved on Feb. 4, 2008]; Retrieved from the Internet, URL: <http://www.geospatialexperts.com/productadv.html>; 4 pages.
- “Comarison of widget engines”; http://en.wikipedia.org/wiki/Comparison_of_widget_engines, 2007, 6 pages.
- “Coolsmartphone”; [online] [Retrieved on Apr. 13, 2006]; Retrieved from the Internet, URL: <http://www.coolsmartphone.com/article569.html>; 57 pages.
- “Dashboard Blog”, Dec. 2003, Retrieved from the Internet on May 11, 2007 <URL:<http://www.nat.org/dashboard/blog.php3>> 31 pages.
- “Garmin hits iphone directly with nuvifone”; [online] [Retrieved on Mar. 17, 2008]; Retrieved from the Internet, URL: <http://www.electronista.com/print/50764>; 3 pages.
- “Garmin® nuvifone™ Takes Personal Navigation and Communication to the Next Level”; Garmin International; [online] [Retrieved on Mar. 17, 2008]; Retrieved from the Internet, URL: <http://www8.garmin.com/pressroom/mobile/013008.html>; 3 pages.
- “Go View Map Save to Favorites Cancel”; [online] [Retrieved on Feb. 4, 2008]; Retrieved from the Internet, URL: <http://www8.garmin.com/buzz/nuvifone/m/g/sc-geotag-lg.jpg>; 1 page.
- “GPS Blogging Phones”; [online] [Retrieved on Apr. 5, 2006] Retrieve from the Internet, URL: <http://www.dailywireless.org/modules.php?name=News&file=article&sid=4613>; 3 pages.
- “International Roaming Guide—Personal Experience(s) from Customer and Community Member”; [online] [Retrieved Jun. 26, 2006] Retrieved from the Internet <URL: <http://forums.cingular.com/cng/board/message?board.id=1185>>; 6 pages.
- “MOREnet Dialing Plan: PSTN and IP Network Integration for H.323, H320 VoIP and Public Voice Networks”, [online] [Retrieved on Jan. 11, 2008] Retrieved from the Interent < URL: <http://www.more.net/technical/research/dialplan/index.html>, 12 pages.
- “New Improved Panoramio—Geo Photo Sharing”; Google Earth Blog; [online] [Retrieved on Feb. 5, 2008]; Retrieved from the Internet, URL: http://www.gearthblog.com/blog/archives/2006/06/new_improved_pa.html, 1 page.
- “SNAP, MAP and SHARE Your World”; IsWhere by Red Hen Systems; [online] [Retrieved on Jun. 3, 2008]; Retrieved from the Internet, URL: http://www.redhensystems.com/products/multimedia_mapping_software/iswhere/default.asp?sm=2; 1 page.
- “Windows Sidebar”, Wikipedia, Retrieved from the Internet, <URL:<http://en.wikipedia.org/wiki/Windows-Sidebar>>, 2007, 7 pages.
- “Convert just about Anything to Anything else”, OnlineConversion.com, Aug. 2000, [online] [Retrieved on Jun. 22, 2008] Retrieved from the Internet, URL:<http://web.archive.org/web/200000815055422/http://www.onlineconversion.com>>.
- “Writing a Desk Accessory,” Developer Connection, Apple Computer, Inc. Jul. 3, 1996, [online] [Retrieved on Jan. 3, 2006] Retrieved from the Internet URL: <http://developer.apple.com/documentation/mac/devices/devices-16.html>>, 3 pages.
- Akeley, Kurt, and Hanrahan, Pat, “Real-Time Graphics Architecture,” <http://www.grahics.stanford.edu/courses/cs448a-01-fall>, the OpenGL Graphics System, CS448 Lecture 15, Fall, 2001, pp. 1-20.
- Altman, R.B., “Visual Quickstart Guide Power Point 2000/98, Applying Preset Animations,” ProQuest Safari Books, Peachpit Press, May 7, 1999, 7 pages [online] Retrieved from the Internet: <URL: <http://proquest.safaribooksonline.com/0201354411>>.
- Archive of “Objects, Images and Applets,” W3C Recommendation, Feb. 10, 2003, [online] [Archived by <http://archive.org>; Retrieved on Apr. 13, 2006] Retrieved from the Internet URL:<http://web.archive.org/web/20030210154019/http://www.w3.org/TR/REC-html140/struct/objects.html>, 21 pages.
- Beier et al., “The bull’s-eye: a framework for web application user interface design guidelines”, Proceedings of the Sigchi Conference on Human Factors in Computing Systems, Apr. 2003, pp. 489-496.
- Cadiz, JJ et al., “Slideshow: Providing Peripheral Awareness of Important Information,” Technical Report MSR-TR-2001-83, (Sep. 14, 2001), 9 pages. Microsoft Corporation, Redmond, WA.
- Carey et al., “Integrating Widget Design Knowledge with User Interface Toolkits”, Proceedings of the Fifth International Workshop on Computer-Aided Software Engineering, Jul. 1992, pp. 204-212.
- Chen et al., “The Model of Optimum Route Selection in Vehicle Automatic Navigation System Based on Unblocked Reliability Analyses”, Intelligent Transportation Systems, 2003, Proceedings, IEEE (2003), vol. 2, Oct. 12-15, 2003, pp. 975-978.
- Chinese Notification of First Office Action, Chinese Patent Application No. 200580016349.3, Jul. 25, 2008, 21 pages.
- Conner et al. “Three-Dimensional Widgets” ACM 1992, pp. 183-231.
- Elliott, Conal, “Programming Graphics Processors Functionally,” Proceedings of the 2004 Haskell Workshop, Sep. 22, 2004. 11 pages.
- Fried, Ina, “Developer Calls Apple’s Tiger a Copycat,” CNET News.com, Jun. 28, 2004 [online] Retrieved on Jul. 1, 2004] Retrieved from the Internet URL:http://zdnet.com.com/2102-1104_2-250692.html?tag=printthis, 2 pages.
- Fried, Ina, “For Apple’s Tiger, the Keyword is Search”, CNET News.com, Jun. 28, 2004 [online] Retrieved on Jul. 1, 2004] Retrieved from the Internet URL:http://zdnet.com.com/2102-1103_2-5250346.html?tag=printthis, 2 pages.
- Guber, John et al., “Dashboard vs. Konfabulator”, Jun. 2004, 9 pages.
- Haeberli, P. et al., “The Accumulation Buffer: Hardware Support for High-Quality Rendering,” Computer Graphics, Aug. 1990, pp. 309-318, vol. 24, No. 4.
- Han; “Bi-manual, multi-point, and multi-user interactions on a graphical interaction surface”; Mutli-Touch Interaction Research; [online] [Retrieved on Apr. 13, 2006]; Retrieved from the Internet, URL: <http://mrl.nyu.edu/~jhan/ftirtouch/>; 4 pages.
- Helal et al., “Drishti: An Integrated Navigation System for Visually Impaired and Disabled”, Fifth International Symposium on Wearable Computers (ISWC’01), IEEE, 2001, pp. 149-156.
- International Search Report, PCT/US2005/008804, Jul. 27, 2005, 3 pages.
- International Search Report and Writen Opinion, PCT/US2005/022152, Jul. 10, 2006, 8 pages.
- International Search report, PCT/US2005/008805, Aug. 8, 2005, 3 pages.
- Invitation to Pay Additional Fees(Form PCT/ISA/206) and Communication Relating to the Results of the Partial Intrenational Search (PCT/ISA/206 (Annex)) for PCT/US2007/077441; dated Jan. 28, 2008, 8 pages.
- Invitation to Pay Additional Fees(Form PCT/ISA/206) and Communication Relating to the Results of the Partial Intrenational Search (PCT/ISA/206 (Annex)) for PCT/US2008/050295; dated Jul. 29, 2008.
- Konfabulator, “Cupertino, Start your Photocopiers!,” [online] [Retrieved on Jul. 1, 2004] Retrieved from the Internet <URL: <http://www.konfabulator.com>>, 1 page.
- Konfabulator, “Konfabulator & Widget Basics,” [online] [Retrieved on Jul. 1, 2004] Retrieved from the Internet <URL: <http://www.konfabulator.com/info/basics.html>>, 3 pages.
- Konfabulator, “Screenshots,” [online] [Retrieved on Jul. 1, 2004] Retrieved from the Internet <URL: <http://www.konfabulator.com/info/screenshots.html>>, 2 pages.
- Konfabulator, “What is Konfabulator?,” [online] [Retrieved on Jul. 1, 2004] Retrieved from the Internet <URL: <http://www.konfabulator.com/info/>>, 3 pages.
- Lammers, J., et al., “Maya 4.5 Fundamentals: Particles,” New Riders Publishing, Jan. 14, 2003, 12 pages, [online] [retrieved on Feb. 17, 2007] Retrieved from ProQuest Safari Books Online on the Internet: <URL: <http://proquest.safaribooksonline.com/0735713278>>, 12 pages.
- Microsoft Corporation, “Microsoft® Windows™ Graphical Environment User’s Guide”, Version 3.0 for MS-DOS® or PC-DOS Operating System, 1990, Document No. SY06851-0290, pp. Cover-vii, 15-75, 315-353.
- Microsoft Corporation, “User’s Guide Microsoft® Windows™and MS-DOS® 6”, 1993, pp. Cover-xvi, 112-121.
- Notification of Transmittal of the International Search Report and the Written Opinion of the International Searching Authority, PCT/US2005/022579, 15 pages.

(56)

References Cited

OTHER PUBLICATIONS

Notification of Transmittal of the International Search Report and the Written Opinion of the International Searching Authority, PCT/US2007/077441, May 8, 2008; 17 pages.

Nvidia, "CG—Teaching Cg," Power Point Presentation, Author and date unknown, pp. 1-16.

Puder, A., "Extending Desktop Applications to the Web," ACM International Conference Proceedings Series, Proceedings of the Jun. 2004 International Symposium on Information and Communication Technologies, 2004, vol. 90, 6 pages.

Rist et al., "Customizing Graphics for Tiny Displays of Mobile Devices", Personal and Ubiquitous Computing, 2002, pp. 260-268, vol. 6.

Rochkind, M. et al., "Common Elements in Today's Graphical User Interfaces: The Good, the Bad, and the Ugly," Interchi '93, AMC, Apr. 24-29, 1993, pp. 470-473.

Segal, Mark and Akeley, Kurt, "The OpenGL Graphics System: A Specification (Version 1.5)," Copyright 1992-2003 Silicon Graphics, Inc., Oct. 30, 2003, 334 pages.

Shantzis, Michael A., "A Model for Efficient and Flexible Image Computing," Computer Graphics Proceedings, Annual Conference Series, Orlando, Florida, Jul. 24-29, 1994, pp. 147-154.

Shiozawa, Hidekazu et al., "Perspective Layered Visualization of Collaborative Workspaces," Proceedings of the International ACM SIGGROUP conference on Supporting Group Work Publisher, Nov. 1999, 5 pages.

Snippet Software, "Product Spotlight Non-browser based portal solution from Snippets Software", Corporate Portal Newsletter, Oct. 2000, vol. 1, No. 10, 3 pages.

Snippet Software, "Snippets Software Platform", Retrieved from the Internet on Jun. 11, 2001 <URL: <http://www.snippets.com/products/>>.

Snippets Software et al., "Products Overview", Feb. 2002, [online] [Retrieved on Feb. 5, 2008] Retrieved from the Internet URL: <http://web.archive.org/web/20020206061508/http://www.snippets.com/products/>.

Staples, Loretta, "Representation in Virtual Space: Visual Convention in the Graphical User Interface," Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, Apr. 1993. <http://www.nat.org/dashboard/blog.php3> Dec. 2003, 8 pages.

Stardock et al., "DesktopX General Guide," Aug. 2000, [online] [Retrieved on Jan. 31, 2008] Retrieved from the Internet URL: <http://www.stardock.com/products/desktopx/docs/>.

Stardock et al., "DesktopX Tutorial", Aug. 2000, [online] [Retrieved on Jan. 31, 2008] Retrieved from the Internet URL: <http://www.stardock.com/products/desktopx/tutorial.html>.

Stardock et al., "DesktopX WhitePaper", Aug. 2000, [online] [Retrieved on Jan. 31, 2008] Retrieved from the Internet <URL: http://www.stardock.net/media/whitepaper_desktopx.html.

Stardock et al., "The User Guide—Version 2", DesktopX 2000.

Stardock et al., "What Can It Do? Making Objects", DesktopX Tutorial, 2001, [online] [Retrieved on Apr. 11, 2008] Retrieved from the Internet URL: <http://web.archive.org/web/2001101922285/http://www.stardock.com/products/desktopx/>

Stardock News, DesktopX User Manual On-line:, 1999, 2003 [online] [Retrieved from the Internet on May 11, 2007] <URL: <http://www.stardock.com/newsitem.asp?id=538>>.

Stardock News/Media/Press.

Stardock, "DesktopX Whitepaper and users Guide" Retrived from the Internet <URL: http://www.stardock.net/media/whitepaper_desktopx.html>, 1999, 72 pages.

Tang, J.C. et al., "ConNexto Awarenex: Extending Awareness to Mobile Users," SIGCHI '01, AMC, Mar. 31-Apr. 4, 2001, 8 pages.

Ullenboom, C., "Java is auch eine Insel," 2003, [online] [Retrieved on Apr. 13, 2006] Retrieved from the Internet URL: http://www.galileocomputing.de/openbook/javainse12/java_140000.htm#Xxx998138, 3 pages.

Van Gelder, Allen, and Kwansik, Kim, "Direct Volume Rendering with Shading via Three-Dimensional Textures," Computer Science Dept., Univ. of California, Santa Cruz, CA 95064, 9 pages.

Wardell, "Konfabulator for Windows", Jan. 10, 2004, Retrieved from the Internet on Mar. 6, 2006, URL: <http://www.xpthemes.com/forums.aps?MID=19&CMID=19&AID=4472>, 6 pages.

Partial International Search Report, dated May 15, 2009, issued in International Application No. PCT/US2008/050047.

Invitation to Pay fees and Partial International Search Report, dated May 8, 2009, issued in PCT/US2008/050038.

Archive of BabelFish.com Inc., Oct. 2003, [online] [Archived by <http://archive.org> on Oct. 2, 2003; retrieved on Dec. 8, 2008] Retrieved from the Internet URL: <<http://web.archive.org/web/20031002115902/www.babelfish.com/en/index.html>>.

Starfish Software Introduces Starfish Internet Sidekick; Starfish Internet Sidekick is the best way for Internet users to manage their calendar, contacts and communications, Busienss Wire, Sep. 23, 1996, [online] [Retrieved on Dec. 8, 2008] Retrieved from the Internet URL: <http://findarticles.com/articles/mi_mOEIN/is_1996_Sept_23/ai_18704672?tag=rel.resl>.

Archive of www.gigaplex.com, Lazar Productions, Nov. 1996, [online] [Archived by <http://archive.org> on Nov. 5, 1996; retrieved on Dec. 8, 2008] Retrieved from the Internet URL: <<http://web.archive.org/web/19961105081827/www.gigaplex.com/>>.

Archive of movies.com, Jan. 2002, [online] [Archived by <http://archive.org> on January 18, 2002; Retrieved on Dec. 8, 2008] Retrieved from the Internet URL: <<http://www.archive.org/web/20020118102516/movies.go.com>>.

Baratz et al., "DesktopX 3/1", Ars Technica, Nov. 17, 2005, [online] [Retrieved on Aug. 1, 2008] Retrieved from the Internet URL: <<http://arstechnica.com/reviews/apps/desktopx/ars.>>.

Siracusa et al., "Mac OA 10.4 Tiger: Dashboard", Apr. 28, 2005, [online] [Retrieved on Aug. 1, 2008] Retrieved from the Internet URL: <<http://arstechnica.com/reviews/os/macosz-10-4.ars/17>>.

Wardell et al. "Apple's Dashboard vs. Konfabulator vs. DesktopX", Skinning the frog, Jul. 1, 2004, [online] [Retrieved on Aug. 1, 2008] Retrieved from the Internet URL: <<http://frogboy.joeuser.com/article/19800>>.

Thomas et al., "Animating Widgets in the InterViews Toolkit", Lecture Notes in Computer Science, pp. 26-44, 1995.

VMWare, "VMWare Workstation User's Manual", 2002, pp. 12-13.

JavaBoutique, Oct. 1, 2002. Available at: <<http://javaboutique.internet.com/utilities/counter.html>>.

Forstall, et al. U.S. Appl. No. 12/469,555, filed May 20, 2009.

"Coolsmartphone"; Apr. 17, 2006, [online] [Retrieved on Sep. 11, 2009]; Retrieved from the Internet, URL: <http://www.web.archive.org/web/20060417080115/http://www.coolsmartphone.com/article569.html> ; 24 pages.

"Desktop Sidebar", [online] [Retrieved on May 11, 2007] Retrieved from the Internet URL: <http://web.archive.org/web/20040101160831/http://www.desktopsidebar.com/>; 5 pages.

Garmin® nüvifone™ Images, [online] [Retrieved from the Internet on Feb. 4, 2008], URL: http://www8.garmin.com/buzz/nuvifone/media_gallery.jsp; 2 pages.

"Inter-widget communication?", [online] [Retrieved on Jun. 5, 2009], Retrieved from the Internet URL: <http://www.konfabulator.com/forums/lofiversion/index.php/t125.html>; 3 pages.

"Portlet Communication: What is application scope, anyway?", Sep. 18, 2002, [online]; Retrieved from the Internet at URL: <http://www.wcoderanch.com/t/203244/PortalsPortlets/java/Portlet-Communication-What-application-scope>; 3 pages.

"Portlet-to-portlet communication between JSR 168 portlets on public pages", Apr. 5, 2006, [online]; Retrieved from the Internet URL: http://www.ibm.developerworks/websphere/library/techarticles/0604_scott/0604_scott.html; 9 pages.

Akeley, "Cg—Teaching Cg," Power Point Presentation, NVIDIA Corporation, 2002; 1 page.

International Search Report and Written Opinion, dated Sep. 3, 2009, issued in International Application No. PCT/US2008/050047; 17 pages.

Konfabulator, "Konfabulator & Widget Basics—A Refresher Course in Widgetology", [online] [Retrieved on Jun. 5, 2009], Retrieved from the Internet URL: <http://web.archive.org/web/20050811020610/http://konfabulator.com/basics>; 16 pages.

Stardock, "Gallactica Civilization: Dread Lords—User Manual", Stardock Entertainment © 2006; 65 pages.

(56)

References Cited

OTHER PUBLICATIONS

Stardock, "Your Edge in Software", [online] [Retrieved on May 11, 2007]; Retrieved from the Internet URL: <http://www.stardock.com/media.asp?cmd=mediakits>; 56 pages.

Van Gelder et al., "Direct Volume Rendering with Shading via Three-Dimensional Textures," Computer Science Dept., Univ. of California, Santa Cruz, CA 95064, Jul. 19, 1996; 17 pages.

Conner Borookshire D. et al. "Three-Dimensional Widgets" ACM 1992, 8 pages.

Fried, Ina, "Developer Calls Apple's Tiger a Copycat," CNET News.com, Jun. 28, 2004 [online] Retrieved on Jul. 1, 2004] Retrieved from the Internet URL: http://zdnet.com.com/2102-11-4_2-250692.html?tag=printthis, 2 pages.

[Http://en.wikipedia.org/wiki/Comparison_of_widget_engines](http://en.wikipedia.org/wiki/Comparison_of_widget_engines), 2007, 6 pages.

<http://en.wikipedia.org/wiki/Windows-Sidebar>, 2007, 7 pages.

<http://www.nat.org/dashboard/blog.php3>_Dec. 2003, 31 pages.

International Search Report, PCT/US2005/008804, Jul. 27, 2005, 3 pages.

International Search Report and Written Opinion, PCTTUS2005/022152, Jul. 10, 2006, 8 pages.

Konfabulator, "Konfabulator & Widget Basics," [online] [Retrieved on Jul. 1, 2004] Retrieved from the Internet <URL:<http://www.konfabulator.com/info/basics.html>>, 3 pages.

Snippet Software Inc. et al. "Corporate Portal Newsletter" Oct. 2000, 3 pages.

Snippet Software Inc. et al. "Snippets Software" Jun. 2001, 16 pages.

Stardock.com et al. "DesktopX Whitepaper and users Guide" 1999, 72 pages.

Tang, J.C. et al., "ConNexus to Awarenex: Extending Awareness to Mobile Users," SIGCHI '01, AMC, Mar. 31-Apr. 4, 2001, 8 pages.

Wardell, Brad, Konfabulator for Windows, Jan. 10, 2004; [online] Retrieved from the Internet Mar. 6, 2006] Retrieved from the Internet: URL: <http://www.xpthemes.com/forums.asp?MID=19&CMID=19&AID=4472>, 6 pages.

Rodriguez et al., "IBM WebSphere Portal V5 a Guide for Portlet Application Development," Feb. 1, 2004, 48 pages.

Inter-Widget Messaging!, I want my widgets to work together!, Feb. 7, 2005, 4 pages.

Widget to widget communication, Jun. 29, 2006, 2 pages.

Widgets 1.0, Nov. 9, 2006, 13 pages.

* cited by examiner




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

1**WEB WIDGETS**

TECHNICAL FIELD

The disclosed implementations are generally related to media authoring tools and user interfaces.

BACKGROUND

Website creation tools targeted to the consumer market allow end users to create websites and other types of media (e.g., blogs, podcasts, multimedia presentations, slide shows) with little or no knowledge of web languages. One popular website creation tool is iWeb®, developed by Apple Inc. (Cupertino, Calif.). Users of website creation tools often desire to have a large selection of interesting page elements (e.g., text, images, video, animation) to choose from when creating a website. Some of these elements, however, can be tedious or time consuming to create and/or may require the user to have extensive knowledge of expert features provided by the tool. Some website creation tools require the user to exit the tool or interact with a different user interface of the tool to accomplish certain tasks, such as interacting with third party web services (e.g., map services, advertising services) or searching directories and files for content (e.g., digital photos) to be included in the website.

SUMMARY

A media authoring tool includes web widgets for creating page elements for various types of media (e.g., websites, blogs, broadcasts, slide shows, multimedia presentations). A widget inspector associated with the widget can be used to modify the behaviour of the widget.

In some implementations, a method includes: generating a page for presentation in a user interface of a media authoring tool; generating a widget and an associated widget inspector; presenting the page and the widget inspector in the user interface; presenting the widget on the page; obtaining a user input through the widget inspector; and automatically modifying a behavior of the widget based on the user input.

In some implementations, a method includes: generating a page for presentation in a user interface of a media authoring tool; obtaining a user input specifying a content source; generating a widget for displaying content from the content source, the widget including a navigation control; presenting the page and the widget in the user interface; presenting first content through the widget; obtaining navigation control input; and presenting second content through the widget based on the navigation control input.

Other implementations are disclosed that are directed to systems, methods and computer-readable mediums.

DESCRIPTION OF DRAWINGS

FIG. 1 is a screen shot of an example user interface for a media authoring tool.

FIGS. 2A and 2B are screen shots of an example web widget and web widget inspector for generating Hypertext Markup Language (HTML) snippets in the media authoring tool of FIG. 1.

FIGS. 3A and 3B are screen shots of example account dialogs for accessing or creating an advertising account in the media authoring tool of FIG. 1.

FIG. 3C is a screen shot of an example web widget and web widget inspector for displaying advertisements in the media authoring tool of FIG. 1.

2

FIG. 4 is a screen shot of an example web widget and web widget inspector for displaying maps in the media authoring tool of FIG. 1.

FIG. 5 is a screen shot of example web widgets for displaying and navigating content in the media authoring tool of FIG. 1.

FIG. 6 is a screen shot of example process for implementing the features described in reference to FIGS. 1-5.

FIG. 7 is a screen shot of example software stack for implementing the features and processes described in reference to FIGS. 1-6.

FIG. 8 is a screen shot of example system for implementing the features and processes described in reference to FIGS. 1-7.

DETAILED DESCRIPTION

Web Widget Overview

FIG. 1 is a screen shot of an example user interface **100** for a media authoring tool. The media authoring tool can be used to create various media, including but not limited to: websites, blogs, multimedia presentations, slide shows, media broadcasts (e.g., podcasts, videocasts), interactive learning materials, animations, etc. In the examples that follow, references are made to screen shots for iWeb® website creation tool. The disclosed implementations, however, are equally applicable to other media authoring tools, including markup language editors (e.g., HTML or XHTML editors).

Referring to FIG. 1, a user has selected a “blank” page **102** from a menu **104** in the user interface **100** of the media authoring tool. In some implementations, the user can select a page template from a list of page templates. The page templates can be associated with themes. A page template can include a professional looking layout of various page elements (e.g., text boxes, shapes, web widgets) having various properties or attributes (e.g., font, size, location, orientation, color, opacity, texture, shape, shadows, animation) that the user can manipulate and customize through the user interface **100**. With some media authoring tools (e.g., iWeb®), a website created by a user can be automatically published to the Internet, where the website can be viewed by anyone with a web browser.

In some implementations, the user interface **100** can include a tool bar **106** for allowing the user to select various editing tools for creating and modifying elements on the webpage **102**. Some examples of tools include a “text box” tool for creating text boxes, a “shapes” tool for adding shapes and a “web widget” tool for invoking web widgets.

A “web widget” functions like an application in the media authoring tool. Web widgets can be built using various web technologies including, for example, a markup language (e.g., HTML, XHTML), Cascading Style Sheets (CSS), JavaScript®, etc. Web widgets can have their own user interfaces and controls for assisting the user in creating various page elements. A web widget can differentiate whether it is running in a media authoring tool or in a browser (e.g., Safari®).

FIGS. 2A and 2B are screen shots of an example web widget **204** and associated web widget inspector **202** for generating HTML snippets in the media authoring tool of FIG. 1. Upon selection of an HTML snippet from the menu **108** or other selection mechanism (e.g., a pull-down menu), the web widget **204** is presented in the user interface **100** as a bounding box **206** enclosing a display area **208**. The bounding box **206** can be dragged to any desired position on the page **102**. The bounding box can include handles **210** for adjusting the dimensions of the bounding box **206**. In some

implementations, the user can interact with the widget **204** by double-clicking on the display area **208**.

Upon selection of the HTML snippet from the menu **108** or other selection mechanism, the widget inspector **202** is presented on the web page **102**. In some implementations, the web inspector **202** includes an editing window **212** for pasting or typing HTML instructions. The user can type one or more HTML instructions in the editing window **212** and click the “Apply” button to have the instructions interpreted and displayed in the display area **208** of the web widget **204**.

Referring to FIG. 2B, the user has typed the HTML instruction `<p>Hello</p>` and `<p>World</p>` in the editing window **212** of the widget inspector **202**. When the user clicks the “Apply” button, the HTML instructions are interpreted and the text “Hello World” is presented in the display area **208** of the web widget **204**.

The HTML web widget **204** allows the user to easily generate HTML snippets and immediately see the results of those snippets in a single user interface of the tool. The user does not have to exit the tool or open a new interface which could disrupt the user’s workflow. Nor does the user have to publish the page to see how the snippet will be rendered in a browser.

FIGS. 3A and 3B are screen shots of example account dialogs **302**, **304**, for accessing or creating an advertising account (e.g., a Google AdSense™ account) in the media authoring tool of FIG. 1. Referring to FIGS. 1, 3A and 3B, upon the user’s selection of an advertisement (“ad”) item from the menu **108** shown in FIG. 1, the account dialog **302** is presented in the user interface **100**. In the example shown, the user enters his email address and zip code or phone number to access his existing ad account. In some cases, the user can be provided with a mechanism for creating a new account (e.g., button), which directs the user to further dialogs for setting up an ad account.

FIG. 3B illustrates one possible implementation of an account dialog **304**, which can be presented to the user to indicate that a new account was successfully created. Although the examples shown in FIGS. 3A and 3B are related to ad accounts, other account dialogs can be presented for other types of accounts for which access or creation is desired (e.g., email accounts, financial accounts).

FIG. 3C is a screen shot of an example web widget **308** and web widget inspector **306** for displaying “live” ads in the media authoring tool of FIG. 1. A “live” ad can be an ad that is delivered by an ad server to an ad space on a web page while the page is being viewed in a browser by the user. In some implementations, the widget inspector **306** includes controls **310** and **312**, for modifying the size and color of the “live” ad displayed by the web widget **308**. Input provided by the user through the widget inspector **306** can be applied to the “live” ad presented by the web widget **308**. Other controls can be included in the widget inspector **306** to provide additional control over how an ad is presented on the page.

The ad web widget **308** allows the user to easily interface with an ad service provider, including account access and creation, in a single user interface of the media authoring tool. The user does not have to exit the tool or open a new interface which could disrupt the user’s workflow. Nor does the user have to publish the page to see how the ad will be rendered in a browser.

FIG. 4 is a screen shot of an example web widget **406** and web widget inspector **402** for displaying maps in the media authoring tool of FIG. 1. In the example shown, the user has selected a map web widget from the menu **108**, resulting in the presentation of the map widget **406** and associated widget inspector **402** on the page **102**. The widget inspector **402** can include a text box **408** for typing or pasting an address. In

some implementations, the text box **408** can include a default address which can be specified by the user or the map service. An address in the text box **408** can determine a portion of a map that will be displayed by the widget **406** when an “Apply” button is clicked by the user. Additionally, a placemark (e.g., a pushpin icon) can be overlaid on the map to mark the location of the address in the map. In this example, the user entered “1 Infinite Loop, Cupertino, Calif. 95014, USA” in the text box **408**, and after clicking the “Apply” button, a map portion including the address is displayed in the web widget **406** with a placemark **412** to mark the address in the map. Other navigation controls can be included with the widget inspector **402**, including navigation controls **410** (e.g., zoom control, address bubble). In some implementations, the map can include one or more links **404** (e.g., hypertext links) to other network resources or to receive additional information. In this example, the controls **410** include check boxes for activating and deactivating the display of zoom controls and an address bubble, respectively. Other controls are possible (e.g., tilt controls). The user can interact with the map by, for example, double-clicking the web widget **406**. Once the web widget **406** activated the user can use their mouse (or finger or stylus if a touch-sensitive screen) to move the map from within the web widget **406**.

In some implementations, the map can be provided by a map service (e.g., Google™ Maps). The web widget **406** can provide all the supporting code (e.g., HTML, JavaScript®, CSS) for connecting to the map service, sending requests for map data, receiving the map data in response to the requests, and the formatting of map data for presentation in the web widget **406**. A communication channel can be established between the web widget **406** and the map service using an operating system (OS) service or a library service provided by the system hosting the media authoring tool. In some implementations, the host system (e.g., a personal computer) can be coupled to the Internet using a wired or wireless communication link. The OS or library service can establish the communication channel using known communication protocols (e.g., TCP/IP, HTML, Secure Socket Layer).

The map web widget **308** allows the user to easily interface with a map service in a single user interface of the media authoring tool. The user does not have to exit the tool or open a new interface which could disrupt the user’s workflow. Nor does the user have to publish the page to see how the map will be rendered in a browser.

FIG. 5 is a screen shot of example web widgets **504**, **506**, for displaying content (e.g., digital photos, video clips) in a media authoring tool of FIG. 1. In this example, the user selected a web gallery widget from the menu **108**. In response to the selection, the web widgets **504**, **506**, were presented on the page **102**. In some implementations, the web widgets **504**, **506**, include bounding boxes with handles for resizing the web widgets. In some implementations, the web widgets **504**, **506**, can include a control **508** for scrolling or navigating through images or videos in a gallery or other file selected by the user. Other controls are possible. For example, if a video clip is to be displayed, then video controls can be included on the widget (e.g., play, forward, reverse, stop, pause). In some implementations, the web widgets **504**, **506**, can be used to navigate through pages of a document (e.g., a .pdf file).

Example Web Widget Process

FIG. 6 is a screen shot of example process **600** for implementing the features described in reference to FIGS. 1-5. In some implementations, the user invokes a media authoring tool on a host system (e.g., a personal computer). Alterna-

5

tively, the media authoring tool can be provided on a server. The user selects a blank page or template page. The user also selects a web widget from a menu (e.g., menu 108).

Responsive to the user selection, a page is generated for presentation in a user interface of the media authoring tool (602). A widget and an associated widget inspector are generated (604). The page is presented in the user interface, together with the widget inspector (606). In some implementations, the web widget is presented on the page (608). In other implementations, the web widget can be presented at another location in the user interface, and the user can then move the web widget onto the page (e.g., drag and drop). The web widget can include a bounding box which includes handles for resizing. The web widget and widget inspector can be clicked and dragged to a desired location on the page. The user provides input into the widget inspector by typing, pasting and/or selecting predefined options (610). The behaviour of the web widget can be automatically modified based on the input (612).

Example Software Stack

FIG. 7 is a screen shot of example software stack 700 for implementing the features and processes described in reference to FIGS. 1-6. The software stack 700 is based on the Mac OS® software stack. It should be noted, however, that any software stack can be used to implement the features and processes described in reference to FIGS. 1-6.

The software stack 700 can include an application layer and operating system layers. In this Mac OS® example, the application layer can include iWeb Core and Web Widget applications. The iWeb Core code includes code for the iWeb® website creation tool and the web widget code includes code for implementing web widgets. The web widget code can include HTML, CSS, JavaScript® and other resources. CSS is a stylesheet language used to describe the presentation of a document written in a markup language (e.g., style web pages written in HTML, XHTML). CSS can be used by authors and readers of web pages to define colors, fonts, layout, and other aspects of document presentation. JavaScript® is a scripting language which can be used to write functions that are embedded in or included from HTML pages and interact with a Document Object Model (DOM) of the page.

In some implementations, the web widget code in the application layer uses WebKit® services. WebKit® is an application framework included with Mac OS X which is the basis of Mac OS X's Safari web browser. The framework allows third party developers to easily include Safari functionality in custom applications. WebKit® includes an Objective-C Application Programming Interface (API) that provides the capability to interact with a web server, retrieve and render web pages, download files, and manage plug-ins. WebKit® also includes content parsers (e.g., HTML, CSS), a JavaScript® bridge (e.g., for synchronizing between Safari® and Java applets), a JavaScript® engine (interpreter) and a DOM. The WebKit® can use services provided by Core Services, which provide basic low level services. The Core Services can request services directly from the Core OS (e.g., Darwin/Unix).

The software stack 700 provides the software development tools to create web widgets and the various features and processes described in reference to FIGS. 1-6. Other software stacks and architectures are possible, including architectures having more or fewer layers, different layers or no layers.

Example System Architecture

FIG. 8 is a screen shot of example system 800 for implementing the features and processes described in reference to

6

FIGS. 1-7. The system 800 may host the software stack 700, described in reference to FIG. 7. The system 800 includes a processor 810, a memory 820, a storage device 830, and an input/output device 840. Each of the components 810, 820, 830, and 840 are interconnected using a system bus 850. The processor 810 is capable of processing instructions for execution within the system 800. In some implementations, the processor 810 is a single-threaded processor. In other implementations, the processor 810 is a multi-threaded processor. The processor 810 is capable of processing instructions stored in the memory 820 or on the storage device 830 to display graphical information for a user interface on the input/output device 840.

The memory 820 stores information within the system 800. In some implementations, the memory 820 is a computer-readable medium. In other implementations, the memory 820 is a volatile memory unit. In yet other implementations, the memory 820 is a non-volatile memory unit.

The storage device 830 is capable of providing mass storage for the system 800. In some implementations, the storage device 830 is a computer-readable medium. In various different implementations, the storage device 830 may be a floppy disk device, a hard disk device, an optical disk device, or a tape device.

The input/output device 840 provides input/output operations for the system 800. In some implementations, the input/output device 840 includes a keyboard and/or pointing device. In other implementations, the input/output device 840 includes a display unit for displaying graphical user interfaces.

Various implementations of the systems and techniques described here can be realized in digital electronic circuitry, integrated circuitry, specially designed ASICs (application specific integrated circuits), computer hardware, firmware, software, and/or combinations thereof. These various implementations can include implementation in one or more computer programs that are executable and/or interpretable on a programmable system including at least one programmable processor, which may be special or general purpose, coupled to receive data and instructions from, and to transmit data and instructions to, a storage system, at least one input device, and at least one output device.

These computer programs (also known as programs, software, software applications or code) include machine instructions for a programmable processor, and can be implemented in a high-level procedural and/or object-oriented programming language, and/or in assembly/machine language. As used herein, the terms "machine-readable medium" and "computer-readable medium" refer to any computer program product, apparatus and/or device (e.g., magnetic discs, optical disks, memory, Programmable Logic Devices (PLDs)) used to provide machine instructions and/or data to a programmable processor, including a machine-readable medium that receives machine instructions as a machine-readable signal. The term "machine-readable signal" refers to any signal used to provide machine instructions and/or data to a programmable processor.

To provide for interaction with a user, the systems and techniques described here can be implemented on a computer having a display device (e.g., a CRT (cathode ray tube) or LCD (liquid crystal display) monitor) for displaying information to the user and a keyboard and a pointing device (e.g., a mouse or a trackball) by which the user can provide input to the computer. Other kinds of devices can be used to provide for interaction with a user as well; for example, feedback provided to the user can be any form of sensory feedback (e.g., visual feedback, auditory feedback, or tactile feed-

back); and input from the user can be received in any form, including acoustic, speech, or tactile input.

The systems and techniques described here can be implemented in a computing system that includes a back end component (e.g., as a data server), or that includes a middleware component (e.g., an application server), or that includes a front end component (e.g., a client computer having a graphical user interface or a Web browser through which a user can interact with an implementation of the systems and techniques described here), or any combination of such back end, middleware, or front end components. The components of the system can be interconnected by any form or medium of digital data communication (e.g., a communication network). Examples of communication networks include a local area network ("LAN"), a wide area network ("WAN"), and the Internet.

The computing system can include clients and servers. A client and server are generally remote from each other and typically interact through a communication network. The relationship of client and server arises by virtue of computer programs running on the respective computers and having a client-server relationship to each other.

Although a few implementations have been described in detail above, other modifications are possible. For example, the flow diagrams depicted in the figures do not require the particular order shown, or sequential order, to achieve desirable results. In addition, other steps may be provided, or steps may be eliminated, from the described flow diagrams, and other components may be added to, or removed from, the described systems. Accordingly, various modifications may be made to the disclosed implementations and still be within the scope of the following claims.

The invention claimed is:

1. A method comprising:

displaying, in a user interface, a media authoring tool that is operable to create a web page, the media authoring tool comprising a first editing area for editing the web page, wherein the web page is configured to display first content when rendered;

receiving an input for creating a web widget, which is a component of the web page that is operable to display second content when rendered in the web page, the second content being distinct from the first content;

in response to the input, displaying the web widget as a bounding box enclosing a display area in the media authoring tool, wherein dimensions of the bounding box are configurable by a user while creating the web widget;

presenting in the media authoring tool, in association with displaying the bounding box, a second editing area for editing the web widget during creation, the second editing area being associated with a web widget tool operable to edit instructions that are executed for displaying the second content in the web widget when the web page is rendered; and

providing the web page, including the first content and the web widget comprising the second content, for display in the user interface.

2. The method of claim 1, comprising:

automatically establishing a communication channel between the web widget and a service without user intervention;

obtaining the second content from the service for display on the web widget; and

presenting the second content using the web widget when the web page is rendered.

3. The method of claim 2, wherein the second content includes map data.

4. The method of claim 3, comprising:

receiving a user input that is associated with a geographic location; and

displaying a placemark corresponding to the geographic location in the map data.

5. The method of claim 3, wherein the web widget presents one or more navigation controls for allowing the user to navigate the map data.

6. The method of claim 5, wherein at least one navigation control is a zoom control.

7. The method of claim 2, wherein the second content includes advertising information.

8. The method of claim 7, comprising:

modifying a presentation of the advertising information through the web widget based on a user input.

9. The method of claim 8, wherein the modifying includes modifying a size or color of the advertising information.

10. The method of claim 2, comprising:

providing one or more account dialogs for display, the one or more account dialogs allowing a user to access or create one or more accounts with the service.

11. The method of claim 1, wherein the web widget is a page element of the web page and is provided for display in association with other page elements of the web page.

12. The method of claim 1, wherein the web widget is operable to present content configured to directly interact with a user through the web widget.

13. The method of claim 1, wherein the instructions include a markup language instruction and the web widget renders the markup language instruction.

14. The method of claim 1, wherein the web widget tool is operable to specify the second content displayed in the web widget.

15. The method of claim 14, wherein specifying the second content includes at least one of creating the second content or specifying a source of the second content.

16. The method of claim 1, comprising:

determining a location of the web widget in the web page; and

placing the second editing area at the determined location in the first editing area.

17. The method of claim 1, comprising:

receiving a drag and drop input placing the bounding box in the first editing area at a first location, wherein providing the web page for display includes providing the second content of the web widget for display at the first location.

18. The method of claim 1, wherein presenting the second editing area for editing the web widget during creation comprises:

receiving a second input for editing the instructions that are executed for displaying the second content; and

updating the second content that is displayed in the web widget when the web page is rendered in response to editing the instructions.

19. The method of claim 18, comprising:

displaying the first content unchanged in the web page when the web page is rendered.

20. A computer-readable medium having first instructions stored thereon, which, when executed by a processor, cause the processor to perform operations comprising:

displaying, in a user interface, a media authoring tool that is operable to create a web page, the media authoring tool comprising a first editing area for editing the web page during creation, wherein the web page is configured to display first content when rendered;

receiving an input for creating a web widget, which is a component of the web page that is operable to display second content when rendered in the web page, the second content being distinct from the first content;

in response to the input, displaying the web widget as a bounding box enclosing a display area in the media authoring tool, wherein dimensions of the bounding box are configurable by a user while creating the web widget;

presenting in the media authoring tool, in association with displaying the bounding box, a second editing area for editing the web widget during creation, the second editing area being associated with a web widget tool operable to edit second instructions that are executed for displaying the second content in the web widget when the web page is rendered; and

providing the web page, including the first content and the web widget comprising the second content, for display in the user interface.

21. The computer-readable medium of claim **20**, wherein the first instructions cause the processor to perform operations comprising:

- automatically establishing a communication channel between the web widget and a service without user intervention;
- obtaining the second content from the service for display on the web widget; and
- presenting the second content using the web widget when the web page is rendered.

22. The computer-readable medium of claim **21**, wherein the second content includes map data.

23. The computer-readable medium of claim **21**, wherein the second content includes advertising information.

24. The computer-readable medium of claim **21**, wherein the first instructions cause the processor to perform operations comprising:

- providing one or more account dialogs for display, the one or more account dialogs allowing a user to access or create one or more accounts with the service.

25. The computer-readable medium of claim **20**, wherein the web widget is operable to present content configured to directly interact with a user through the web widget.

26. The computer-readable medium of claim **20**, wherein the second instructions include a markup language instruction and the web widget renders the markup language instruction.

27. The computer-readable medium claim **20**, wherein displaying the web widget as a bounding box in the media authoring tool comprises displaying the web widget as a bounding box that is overlaid on the web page, and wherein presenting the second editing area comprises presenting the second editing area as an overlay on the first editing area.

28. A system comprising:

- one or more computers configured to perform operations comprising:
 - displaying, in a user interface, a media authoring tool that is operable to create a web page, the media authoring tool comprising a first editing area for editing the web page during creation, wherein the web page is configured to display first content when rendered;
 - receiving an input for creating a web widget, which is a component of the web page that is operable to display second content when rendered in the web page, the second content being distinct from the first content;
 - in response to the input, displaying the web widget as a bounding box enclosing a display area in the media authoring tool, wherein dimensions of the bounding box are configurable by a user while creating the web widget;
 - presenting in the media authoring tool, in association with displaying the bounding box, a second editing area for editing the web widget during creation, the second editing area being associated with a web widget tool operable to edit instructions that are executed for displaying the second content in the web widget when the web page is rendered; and
 - providing the web page, including the first content and the web widget comprising the second content, for display in the user interface.

29. The system of claim **28**, wherein the one or more computers are configured to perform operations comprising:

- automatically establishing a communication channel between the web widget and a service without user intervention;
- obtaining the second content from the service for display on the web widget; and
- presenting the second content using the web widget when the web page is rendered.

30. The system of claim **28**, wherein displaying the web widget as a bounding box in the media authoring tool comprises displaying the web widget as a bounding box that is overlaid on the web page, and wherein presenting the second editing area comprises presenting the second editing area as an overlay on the first editing area.

31. The method of claim **1**, wherein displaying the web widget as a bounding box in the media authoring tool comprises displaying the web widget as a bounding box that is overlaid on the web page, and wherein presenting the second editing area comprises presenting the second editing area as an overlay on the first editing area.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,667,415 B2
APPLICATION NO. : 11/834578
DATED : March 4, 2014
INVENTOR(S) : Rudolph et al.

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page:

The first or sole Notice should read --

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1063 days.

Signed and Sealed this
Thirtieth Day of May, 2017



Michelle K. Lee
Director of the United States Patent and Trademark Office