



US0D1005126S

(12)

United States Design Patent

Peer

(10)

Patent No.:

US D1,005,126 S

(45)

Date of Patent:

** Nov. 21, 2023

(54) COMBINED SPRAY BOTTLE WITH A STORAGE COMPARTMENT

(71) Applicant: Roy Peer, Riverview, FL (US)

(72) Inventor: Roy Peer, Riverview, FL (US)

(**) Term: 15 Years

(21) Appl. No.: 29/875,492

(22) Filed: May 5, 2023

(51) LOC (14) Cl. 09-01

(52) U.S. Cl. USPC D9/738; D9/448

(58) Field of Classification Search
USPC D9/434, 435, 447, 448, 449, 500, 501, D9/502, 503, 504, 516, 517, 520, 527, D9/543, 549, 575, 682, 684, 685, 686, D9/688, 689, 690, 715, 719, 738; D7/300, 300.1, 305, 396.2, 505, 507, 509, D7/510, 511, 523, 541, 608
CPC A47J 36/10; A47J 43/04; A47J 43/042; A47J 43/046; A47J 43/0711; A47J 43/0716; A47J 43/0722; A47J 43/0727; A47J 43/075; A47J 43/0761; A47J 43/085; A47J 43/087; A47J 43/25; B65D 1/00; B65D 1/02; B65D 1/0223; B65D 1/023; B65D 1/0261; B65D 2501/00; B65D 2501/0009; B65D 2501/0081; B65D 2501/009; Y10S 215/00; Y10S 264/918

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D333,609	S	*	3/1993	Beaumont	D9/448
D413,808	S	*	9/1999	Bolliger	D9/543
D427,078	S	*	6/2000	Schaaf	D9/543
D429,159	S	*	8/2000	Feen	D9/543
D487,223	S	*	3/2004	Arai	D9/685
6,871,760	B1	*	3/2005	Snider	B05B 11/0037 222/129

D529,806	S	*	10/2006	Cummings	D9/569
D536,982	S	*	2/2007	Conway	D9/523
D557,610	S	*	12/2007	Conway	D9/530
D562,696	S		2/2008	Baker et al.	
D565,420	S	*	4/2008	Adamson	D9/558
(Continued)					

FOREIGN PATENT DOCUMENTS

CN 302348489 * 3/2013

OTHER PUBLICATIONS

Trigger Spray Bottle, posted at Amazon.co.uk on May 9, 2016, [site visited Jun. 12, 2023]. Available from internet, URL: <<https://www.amazon.co.uk/dp/B08GSK8VCC/?th=1>> (Year: 2016).*

Primary Examiner — Andrew Kerr
Assistant Examiner — Chariton Alexakis
(74) Attorney, Agent, or Firm — Barry Choobin; Patent 360


(57) CLAIM

The ornamental design for a combined spray bottle with a storage compartment, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined spray bottle with a storage compartment, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view thereof, in which the storage compartment is attached.
The dot-dash broken lines in the figures show boundaries that form no part of the claimed design.
The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D581,805	S	*	12/2008	Suxdorf	D9/685
D583,677	S		12/2008	Harrison et al.	
D589,349	S	*	3/2009	Prater	D9/543
D590,260	S	*	4/2009	Prater	D9/523
D614,957	S		5/2010	Schaeffer	
D636,272	S		4/2011	Pearson et al.	
D639,170	S		6/2011	Aarnio	
D641,251	S		7/2011	Pearson et al.	
D648,631	S		11/2011	Smith	
D651,089	S		12/2011	Lee et al.	
D654,371	S		2/2012	Geeraert et al.	
D656,832	S		4/2012	Bowers et al.	
D660,166	S	*	5/2012	Hawry	D9/541
8,261,943	B2		9/2012	Sim	
8,267,281	B2		9/2012	Sim	
D668,551	S		10/2012	Kersten	
D719,451	S	*	12/2014	Hyder	B05B 11/1046 D9/543
D742,758	S		11/2015	Seehoff et al.	
D743,806	S		11/2015	Lang et al.	
2013/0341361	A1	*	12/2013	Graham	B05B 11/1046 222/383.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8