



US0D1005127S

(12)

United States Design Patent

Peer

(10)

Patent No.:

US D1,005,127 S

(45)

Date of Patent:

** Nov. 21, 2023

(54) COMBINED SPRAY BOTTLE WITH A STORAGE COMPARTMENT

(71) Applicant: Roy Peer, Brandon, FL (US)
(72) Inventor: Roy Peer, Brandon, FL (US)

(**) Term: 15 Years

(21) Appl. No.: 29/875,662

(22) Filed: May 8, 2023

(51) LOC (14) Cl. 09-01

(52) U.S. Cl. D9/738

(58) Field of Classification Search
USPC D9/434, 435, 447, 448, 449, 500, 501, 502, 503, 504, 516, 517, 520, 527, 543, 549, 575, 682, 684, 685, 686, 688, 689, 690, 715, 719, 738; D7/300, 300.1, 305, 396.2, 505, 507, 509, 510, 511, 523, 541, 608
CPC A47J 36/10; A47J 43/04; A47J 43/042; A47J 43/046; A47J 43/0711; A47J 43/0716; A47J 43/0722; A47J 43/0727; A47J 43/075; A47J 43/0761; A47J 43/085; A47J 43/087; A47J 43/25; B65D 1/00; B65D 1/02; B65D 1/0223; B65D 1/023; B65D 1/0261; B65D 2501/00; B65D 2501/0009; B65D 2501/0081; B65D 2501/009; Y10S 215/00; Y10S 264/918

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,688,396 A * 10/1928 Morrison B65D 23/06 215/41
D414,238 S * 9/1999 Kupperman D9/503
6,862,824 B1 * 3/2005 Hermanson G09F 19/12 40/442
D562,696 S 2/2008 Baker et al.
D581,278 S * 11/2008 Shibata D9/503

D583,677 S 12/2008 Harrison et al.
D614,957 S 5/2010 Schaeffer
D624,417 S * 9/2010 Bentley D9/500
D636,272 S 4/2011 Pearson et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 306539184 * 5/2021

OTHER PUBLICATIONS

Hombys Spray Bottles, posted at Amazon.co.uk on Mar. 22, 2023, [site visited Jun. 12, 2023]. Available from internet, URL: <https://www.amazon.co.uk/HOMBY-S-Bottles-Silicone-Sleeve-Protection/dp/B0BW8Q1TXL/> (Year: 2023).*

Primary Examiner — Andrew Kerr
Assistant Examiner — Chariton Alexakis
(74) Attorney, Agent, or Firm — Barry Choobin; Patent 360


(57) CLAIM

The ornamental design for a combined spray bottle with a storage compartment, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined spray bottle with a storage compartment, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view thereof, in which the storage compartment is attached.
The dot-dash broken lines in the figures show boundaries that form no part of the claimed design.
The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D639,170	S	6/2011	Aarnio	
D641,251	S	7/2011	Pearson et al.	
D648,631	S	11/2011	Smith	
D651,089	S	12/2011	Lee et al.	
D654,371	S	2/2012	Geeraert et al.	
D656,832	S	4/2012	Bowers et al.	
8,261,943	B2	9/2012	Sim	
8,267,281	B2	9/2012	Sim	
D668,551	S	10/2012	Kersten	
D715,153	S *	10/2014	Hansen	D9/685
D742,758	S	11/2015	Seehoff et al.	
D743,806	S	11/2015	Lang et al.	
D779,881	S *	2/2017	Lee	D9/503
D796,901	S *	9/2017	Pisarevsky	D9/503
D849,542	S *	5/2019	Harris	D9/500
D953,114	S *	5/2022	Sebastian Azpiazu	D9/503
D966,901	S *	10/2022	Jiang	G09F 19/12
				D9/500
D967,711	S *	10/2022	Liu	D7/509
D973,440	S *	12/2022	Randazzo	B65D 1/06
				D9/503
D976,110	S *	1/2023	Pszczolkowski	B65D 23/06
				D9/500
2010/0084362	A1 *	4/2010	Letchinger	B65D 1/06
				215/200

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8