



US0D1007429S

(12)

United States Design Patent

Shuyler

(10) Patent No.:

US D1,007,429 S

(45) Date of Patent:

** Dec. 12, 2023

(54) EXTENSION CORD CONNECTOR

(71) Applicant: Phillip E Shuyler, Woodland Hills, CA (US)

(72) Inventor: Phillip E Shuyler, Woodland Hills, CA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/879,954

(22) Filed: Jul. 14, 2023

5,299,951 A	4/1994	Blaetz	
5,347,084 A	9/1994	Roney et al.	
5,696,351 A	12/1997	Raynet	
5,813,879 A	9/1998	Russo	
6,036,526 A	3/2000	Alfis, III	
7,189,100 B1	3/2007	Colbourne	
7,195,505 B1	3/2007	Becker	
7,285,725 B1	10/2007	Saman	
D586,757 S	2/2009	Minnick	
7,553,181 B1	6/2009	Van Dalinda, III	
D597,947 S *	8/2009	Ono	D13/133
D645,000 S	9/2011	Yoshida	

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/884,649, filed on Feb. 14, 2023.

(51) LOC (14) Cl. 13-03

(52) U.S. Cl. USPC D13/133; D13/153; D13/154; D13/184

(58) Field of Classification Search USPC D8/356; D13/103, 133, 153–154, 156, D13/184

CPC H01R 13/60; H01R 13/523; H01R 13/639; H01R 13/5205; H01R 13/5213; H01R 13/6397

See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D188,102 S *	6/1960	Yarick	D13/133
3,281,755 A *	10/1966	Trager	H01R 13/639 439/367
4,643,505 A	2/1987	House et al.	
D296,779 S	7/1988	Watson	
5,061,194 A *	10/1991	Herman	H01R 13/60 439/368
D322,954 S *	1/1992	Avramovich	D13/133
5,217,387 A	6/1993	Alkire	
D338,190 S *	8/1993	Bradbury	D13/154
5,259,782 A	11/1993	Giffin	

OTHER PUBLICATIONS

SHV, Date: May 28, 2013, [online], [site visited Aug. 10, 2023]. Available from internet, URL: <https://www.snakeheadvintage.com/strain-relief-piece-threaded-cord-grip/> (Year: 2013).*

Primary Examiner — Shawn T Gingrich
Assistant Examiner — Bryan N. Melvin
(74) Attorney, Agent, or Firm — Barry Choobin; Patent 360


(57) CLAIM

The ornamental design for an extension cord connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an extension cord connector, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D674,270	S *	1/2013	Gerber	D8/356
8,702,440	B2 *	4/2014	Nooner	H01R 13/5213
				439/367
9,368,907	B2	6/2016	Becker	
D776,623	S	1/2017	Jenkins	
D821,988	S	7/2018	Chang	
10,116,086	B2 *	10/2018	Dower	H01R 13/5205
D848,376	S *	5/2019	Hewitt	D13/153
D852,152	S *	6/2019	Lawrence	D13/184
10,665,983	B2 *	5/2020	Fair	H01R 13/523
2005/0020113	A1 *	1/2005	Melton	H01R 13/6397
				439/149
2008/0194137	A1	8/2008	Kuo	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7