



US0D1019533S

(12)

United States Design Patent

Harb

(10)

Patent No.:

US D1,019,533 S

(45)

Date of Patent:

** Mar. 26, 2024

(54) SIDEWALL PORTION OF A BICYCLE TIRE

2009/045; B60C 2009/1814; B60C 2009/1885; B60C 2009/2022; B60C 2009/2083; B60C

(71) Applicant: Hatem Harb, Downey, CA (US)

(Continued)

(72) Inventor: Hatem Harb, Downey, CA (US)

(**) Term: 15 Years

(56) References Cited

U.S. PATENT DOCUMENTS

D477,810 S * 7/2003 Budich D12/605
D549,167 S * 8/2007 Iwabuchi D12/605
(Continued)

(21) Appl. No.: 29/728,760

(22) Filed: Mar. 20, 2020

(51) LOC (14) Cl. 12-15

(52) U.S. Cl.
USPC D12/569

OTHER PUBLICATIONS

(58) Field of Classification Search

USPC D12/605, 569
CPC B60C 2200/12; B60C 19/12; B60C 3/02; B60C 9/20; B60C 15/0045; B60C 29/06; B60C 5/12; B60C 15/024; B60C 23/006; B60C 23/0496; B60C 29/005; B60C 9/06; B60C 11/02; B60C 13/02; B60C 15/0233; B60C 19/122; B60C 2200/14; B60C 29/02; B60C 9/0042; B60C 11/0083; B60C 15/0018; B60C 15/0036; B60C 17/0009; B60C 2009/2067; B60C 2009/2077; B60C 5/02; B60C 7/121; B60C 9/11; B60C 9/18; B60C 9/1807; B60C 1/0016; B60C 11/005; B60C 11/0306; B60C 11/11; B60C 13/001; B60C 13/04; B60C 15/0632; B60C 2009/1878; B60C 2009/2064; B60C 23/0433; B60C 23/0461; B60C 23/0479; B60C 25/16; B60C 27/16; B60C 27/18; B60C 29/04; B60C 5/16; B60C 7/1015; B60C 7/105; B60C 7/12; B60C 7/125; B60C 7/16; B60C 7/24; B60C 7/26; B60C 9/09; B60C 9/14; B60C 9/2009; B60C 11/0309; B60C 11/24; B60C 13/00; B60C 15/022; B60C 15/0226; B60C 15/04; B60C 15/0603; B60C 19/125; B60C 2007/005; B60C 2009/0071; B60C 2009/0092; B60C 2009/0425; B60C

ZHYLing Bicycle Tyre <https://www.amazon.de/-/en/ZHYLing-Bicycle-70023C-Colors-Mountain/dp/B09NN9ND33?th=1> (Year: 2021).*

Primary Examiner — George D. Kirschbaum
(74) Attorney, Agent, or Firm — Barry Choobin; Patent 360

(57) CLAIM


The ornamental design for a sidewall portion of a bicycle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sidewall portion of a bicycle tire, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The design includes shaded areas that represent color. Areas depicted in cross hatch shading represent the color white, and the areas disclosed in line hatch represent a color contrasting with other portions of the tire. The peripheral boundary of the claimed design is indicated by a dash-dot-dot-dash line. The evenly spaced broken line showing is

(Continued)



included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets

(58) Field of Classification Search

CPC 2009/209; B60C 2009/2096; B60C
2011/0383; B60C 2011/0388; B60C
2013/006; B60C 2015/009; B60C
2015/046; B60C 2015/061; B60C
2015/0614; B60C 2015/065; B60C
23/001; B60C 23/004; B60C 23/02; B60C
23/04; B60C 23/0406; B60C 23/041;
B60C 23/0447; B60C 23/0488; B60C
23/0494; B60C 23/0498; B60C 23/061;
B60C 23/10; B60C 25/02; B60C 25/04;
B60C 27/06; B60C 29/002; B60C 29/064;
B60C 29/066; B60C 3/04; B60C 7/101;
B60C 7/107; B60C 7/14; B60C 7/143;
B60C 7/18; B60C 9/0207; B60C 9/10;
B60C 9/2003; B60C 9/28

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D813,150 S * 3/2018 Schoeppner D12/605
D814,394 S * 4/2018 Wuescher D12/605
D860,931 S * 9/2019 Wada D12/605
D863,207 S * 10/2019 Francois D12/500

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7